CONTENTS: VOLUME 73

Number 1, pp. 1-252, February 1993

17	MGE
Histology, histochemistry and enzyme biochemistry of the digestive glands in the tropical surf barnacle <i>Tetraclita squamosa</i> . Johnston, D.J., Alexander, C.G. and Yellowlees, D	1
Ionic regulation and buoyancy in some planktonic organisms. Newton, C. and Potts, W.T.W.	15
Recovery of intertidal benthic diatoms after biocide treatment and associated sediment	13
dynamics. Underwood, G.J.C. and Paterson, D.M.	25
Strombidiid ciliates from coastal waters near Kingston Harbour, Jamaica (Ciliophora,	23
Oligotrichia, Strombidiidae). Lynn, D.H. and Gilron, G.L.	47
Heterotrophic flagellates and other protists associated with oceanic detritus throughout	11
the water column in the mid North Atlantic. Patterson, D.J., Nygaard, K.,	
Steinberg, G. and Turley, C.M.	67
Distribution and structure of the sub-cuticular glands in the copepod <i>Temora longicornis</i> .	07
Bannister, N.J.	97
The seasonal abundance of the copepodite stages of Calanus helgolandicus and	
Pseudocalanus elongatus off Plymouth. Green, E.P., Harris, R.P. and Duncan, A	.109
Life history analysis of five dominant infaunal polychaete species from the continental	
slope off North Carolina. Blake, J.A.	.123
The macrobenthic infauna off Sellafield (north-eastern Irish Sea) with special reference to	
bioturbation. Swift, D.J.	143
Population biology of Mieogymnophallus minutus (Trematoda: Gymnophallidae) in	
cockles from the Exe Estuary. Goater, C.P.	163
Reproduction and growth of Sphaerechinus granularis (Echinodermata: Echinoidea) in	
southern Brittany. Guillou, M. and Michel, C.	179
Feeding habits of oplophorid shrimps in the deep western Mediterranean. Cartes, J.E	193
Suspension feeding in larval crabs (Carcinus maenas). Factor, J.R. and Dexter, B.L.	207
A new species of lugworm: Arenicola defodiens sp. nov. Cadman, P.S. and	
Nelson-Smith, A.	213
Developmental changes in the opacity of larval herring, Clupea harengus, and their	
implications for vulnerability to predation. Langsdale, J.R.M.	225
Short Communications:	
First record of the American jack knife clam Ensis directus on the French coast of the	
North Sea. Luczak, C., Dewarumez, JM. and Essink, K.	233
Histochemistry of the bucco-oesophageal glands of Mytilus edulis: the importance of	
mucus in ingestion. Beninger, P.G. and Le Pennec, M	
Imposex in Australian Conus. Kohn, A.J. and Almasi, K.N.	
Otolith microstructure of the lesser sandeel, Ammodytes marinus. Wright, P.J.	245
The taxonomic status of Littorina neglecta: a comment to Grahame, Mill, Double	
and Hull. Johannesson, K. and Johannesson, B.	
Reply to Johannesson and Johannesson. Grahame, J., Mill, P.J., Double, M. & Hull, S.L.	
Rook Notices	251

JMBA VOLUME 73: CONTENTS

Number 2, pp. 253-469, May 1993

	PAGE
The spatial and temporal development of the spring bloom during the JGOFS North	
Atlantic Bloom Experiment, 1989. Weeks, A.R., Fasham, M.J.R., Aiken, J.,	
Harbour, D.S., Read, J.F. and Bellan, I.	253
Mixotrophy in marine species of Chrysochromulina (Prymnesiophyceae): ingestion and	
digestion of a small green flagellate. Jones, H.L.J., Leadbeater, B.S.C. and Green, J.C	283
Marine-feeding otters (Lutra lutra) in Norway: seasonal variation in prey and	
reproductive timing. Heggberget, T.M.	297
Settlement and growth of the intertidal gastropod, Melaraphe neritoides, on the south	
coast of Ireland. Myers, A.A. and McGrath, D.	313
The effect of cell concentration on colony growth and feeding in the marine bryozoan	
Celleporella hyalina. Hunter, E. and Hughes, R.N.	321
Density-dependent growth in cockles (Cerastoderma edule): evidence from interannual	
comparisons. Jensen, K.T.	333
Length, weight and condition factor of Acartia clausi (Copepoda) in the eastern	
Mediterranean. Christou, E.D. and Verriopoulos, G.C.	343
Variation in the tidal migratory behaviour and rhythmic light-responsiveness in the	
shore crab, Carcinus maenas. Warman, C.G., Reid, D.G. and Naylor, E.	355
The effect of particle size on the burying ability of the brown shrimp Crangon crangon.	
Pinn, E.H. and Ansell, A.D.	365
Reproductive ecology of the velvet swimming crab, Necora puber (Brachyura,	
Portunidae), at Plymouth. Norman, C.P. and Jones, M.B.	379
Reproductive cycle and energetic cost of reproduction of the neogastropod Buccinum	
undatum in the Irish Sea. Kideys, A.E., Nash, R.D.M. and Hartnoll, R.G.	391
Reproductive biology of Orchestia gammarellus (Crustacea: Amphipoda) living in a	
sewage treatment works. Jones, M.B. and Wigham, G.D.	405
Innervation of luminous glands in the calanoid copepod Euaugaptilus magnus.	
Bannister, N.J.	417
Tryptic digestion of the serum immunoglobulin of the flounder, Platichthys flesus.	
Glynn, P.J. and Pulsford, A.L.	425
Molecular evolution and diversification of the vestimentiferan tube worms.	
Williams, N.A., Dixon, D.R., Southward, E.C. and Holland, P.W.H.	437
Short Communications:	
Mesacanthion diplechma (Nematoda: Thoracostomopsidae), a link to higher trophic	
levels? Hamerlynck, O. and Vanreusel, A.	453
Rate of spiculogenesis in Clathrina cerebrum (Porifera: Calcispongiae) using	
tetracycline marking. Bavestrello, G., Cattaneo-Vietti, R., Cerrano, C. and Sarà, M	457
Ultrasonography: a non-invasive tool for the study of structure and mechanical	
events in marine animals. Davenport, J	461
On the occurrence of Parablennius sanguinolentus (Pisces: Blenniidae) on the Portuguese	9
coast. Gonçalves, E.J., Almada, V.C., Almeida, A.J. and Oliveira, R.F. de	
Book Notices	469

JMBA VOLUME 73: CONTENTS

vii

PAGE

Number 3, pp. 471-732, August 1993

Shell morphology and identification of early life history stages of congeneric species of	
Crassostrea and Ostrea. Hu, YP., Fuller, S.C., Castagna, M., Vrijenhoek, R.C. and	
Lutz, R.A.	471
Dynamics and growth of a bivalve, Abra tenuis, at the northern edge of its distribution.	
Dekker, R. and Beukema, J.J.	497
Spatial and temporal distribution and recruitment of echinoderm larvae in the Ligurian	
Sea. Pedrotti, M.L.	513
Reproductive biology of two epizoic anemones from the deep north-eastern Atlantic	
Ocean. Bronsdon, S.K., Tyler, P.A., Rice, A.L. and Gage, J.D.	
Pycnogonids from southern Spain: Fauna 1 Project. Munilla, T.	
Patterns of abundance and distribution of species in intertidal rock pools. Astles, K.L	555
Food of striped dolphin, Stenella coeruleoalba, in the Ligurian Sea.	
Würtz, M. and Marrale, D	571
Planktonic ciliates in Southampton Water: quantitative taxonomic studies. Leakey, R.J.G.,	
Burkill, P.H. and Sleigh, M.A.	579
A new species of Clausophyes (Siphonophorae, Clausophyidae), with a redescription of	
C. galeata and C. moserae. Pugh, P.R. and Pagès, F.	595
Taxonomic confusion in the genus Pontocrates (Crustacea: Amphipoda) and the presence	
of P. arcticus in Britain. Moore, P.G. and Beare, D.J.	609
Redescription of the overlooked crustacean isopod genus Xenuraega (Aegidae,	
Flabellifera). Bruce, N.L.	617
Astomonema southwardorum sp. nov., a gutless nematode dominant in a methane seep	
area in the North Sea. Austen, M.C., Warwick, R.M. and Ryan, K.P.	
A new genus of midwater appendicularian: Mesoikopleura with four species. Fenaux, R	635
Heterozygote deficiencies in a cohort of newly settled Mytilus edulis spat. Fairbrother, J.E.	
and Beaumont, A.R.	647
Cadmium in the gastropod Littorina littorea. Nott, J.A., Bebianno, M.J., Langston, W.J. and	
Ryan, K.P.	.655
A male genital defect in the dog-whelk, Nucella lapillus (Neogastropoda), favouring	
survival in a TBT-polluted area. Gibbs, P.E.	.66/
The appearance of rods in the eyes of herring and increased di-docosahexaenoyl	(70)
molecular species of phospholipids. Bell, M.V. and Dick, J.R.	.6/9
The importance of sulphur cross-links and hydrophobic interactions in the	100
polymerization of barnacle cement. Naldrett, M.J.	. 689
Developmental Biology of Marine Organisms. Abstracts:	.703
Short Communications:	710
Mobility in lepadomorph barnacles. Kugele, M. and Yule, A.B.	./19
A method for measuring growth in living barnacles (Crustacea: Cirripedia).	722
Darling, M.S. and Wilbur, K.M	.123
Lawrence, J	727
Book Notices	731

Number 4, pp. 733-988, November 1993

1	PAGE
Sublittoral hard-substratum communities off Orkney and St Abbs (Scotland). Kluijver, M.I. de	733
The geographical distribution, population dynamics and reproductive biology of	/33
Boreomysis nobilis in Newfoundland fjords. Clark, K.J. and Threlfall, W.	755
Populations of Streblospio (Polychaeta: Spionidae) in temperate zones:	
demography and production. Sardá, R. and Martin, D.	769
Colour polymorphism in Idotea baltica from the Bay of Naples and its ecological	
significance. Guarino, S.M., Gambardella, C., Ianniruberto, M. and Nicola, M. de	785
Day-night feeding by decapod crustaceans in a deep-water bottom community in the	
western Mediterranean. Cartes, J.E.	795
Feeding behaviour of the mussel, Mytilus edulis: responses to variations in quantity and	
organic content of the seston. Bayne, B.L., Iglesias, J.I.P., Hawkins, A.J.S., Navarro, E.,	
Heral, M. and Deslous-Paoli, J.M.	813
Fenestrulina barrosoi sp. nov. (Bryozoa: Cheilostomida) with a review of the genus	
Fenestrulina on the Iberian Peninsula. Alvarez, J.A.	831
Deep water pycnogonids of the Cape Verde Slope. Bamber, R.N. and Thurston, M.H	837
The organic carbon content of gravel bed herring spawning grounds and the impact of	
herring spawn deposition. Napier, I.R.	863
Seasonal changes in diatom biomass, sediment stability and biogenic stabilization in the	
Severn Estuary. Underwood, G.J.C. and Paterson, D.M.	871
Uptake, tissue distribution and metabolism of 14C-labelled tributyltin (TBT) in the	
dog-whelk, Nucella lapillus. Bryan, G.W., Bright, D.A., Hummerstone, L.G. and	
Burt, G.R	889
Nassarius reticulatus (Nassariidae: Gastropoda) as an indicator of tributyltin pollution	
before and after TBT restrictions. Bryan, G.W., Burt, G.R., Gibbs, P.E. and Pascoe, P.L.	913
Parasites of Buccinum undatum (Mollusca: Prosobranchia) as biological indicators of	
sewage-sludge dispersal. Siddall, R., Pike, A.W. and McVicar, A.H.	931
Age, growth and maturation of the loliginid squids Alloteuthis africana and A. subulata	
on the west African shelf. Arkhipkin, A. and Nekludova, N	949
Short Communications:	
A method for marking small juvenile gastropods. Gosselin, L.A	963
Consistency of towing speed and sampling depth for the Continuous Plankton	
Recorder. Hays, G.C. and Warner, A.J.	967
Chromosomes of the sea anemone Haliplanella luciae (= H. lineata) (Coelenterata:	
Actiniaria). Fukui, Y	971
Some observations on morphological variation in the red-water ciliate Mesodinium	
rubrum. Crawford, D.W.	975
Statolith microstructure and maximum age of Loligo gahi (Myopsida: Loliginidae)	0.5
on the Patagonian shelf. Arkhipkin, A	
Announcement	
Book Notices	986

